αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

[illegible]

[illegible] : **16-0473-008-0895-01**

[illegible] : **28/6/2016**

[illegible] : **1**

ilac-MRA

ESYD

[illegible] 102

[illegible] 104 [illegible] 115 27

[illegible] 127 [illegible] 142 32

[illegible]: +30 210 7470500-502 [illegible]: +30 210 7470501 email: waternet@ergastiria.gr website: www.ergastiria.gr

[illegible]	: **[illegible], 84002**		
[illegible]	: [illegible]		
[illegible]	: 15/06/2016	[illegible]	: 16/6/2016
[illegible]	: 16/06/2016	[illegible]	: 19/6/2016
[illegible]	: **26240895**	[illegible]	: [illegible]
[illegible]	: **[illegible]**		

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] 22°C	ISO 6222:1999	cfu/ml	[illegible]	104
[illegible] 37°C	ISO 6222:1999	cfu/ml	[illegible]	147
[illegible]	ISO 9308-1:2014	cfu/100ml	0	**69**
Escherichia coli	ISO 9308-1:2014	cfu/100ml	0	**Presence (<4)**
Intestinal Enterococci	ISO 7899-2:2000	cfu/100ml	0	0

[illegible]

1. [illegible]

2. [illegible] 26240895 [illegible] 2/2600/2001 ([illegible] 892/[illegible]/11-07-2001), [illegible]

3. [illegible] 2/2600/2001 ([illegible] 892/[illegible]/11-07-2001), [illegible]

[illegible]

[illegible]

[illegible]

DVM, [illegible] MSc

[illegible]

[illegible]

[illegible]

* [illegible]

αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

[illegible]

[illegible] : **16-0473-008-0895-02**

[illegible] : **28/6/2016**

[illegible] : **1**

ilac-MRA ESYD [illegible] 102

[illegible] 104 [illegible] 115 27
[illegible] 127 [illegible] 142 32
[illegible]: +30 210 7470500-502 [illegible]: +30 210 7470501 email: waternet@ergastiria.gr website: www.ergastiria.gr

[illegible]	**[illegible], 84002**		
[illegible]	[illegible]		
[illegible]	15/06/2016	[illegible]	16/6/2016
[illegible]	16/06/2016	[illegible]	23/6/2016
[illegible]	**26240895**	[illegible]	[illegible]
[illegible]	**[illegible]**		

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] (pH) - 25°C	ISO 10523:2008	pH units	-	6.5 - 9.5	7.5
[illegible] - 25°C	ISO 7888:1985	μS/cm	10	< 2500	1937
[illegible]	ISO 7027:1999	FNU	0.02	-	0.65
[illegible]	[illegible] ISO 7887	mg/l Pt	1.5	-	<5
[illegible]	[illegible] (*)		-	-	[illegible]
[illegible]	[illegible] (*)		-	-	[illegible]
[illegible] (KMnO4)	[illegible] ISO 8467	mg/l O2	0.16	< 5.0	<0.5
[illegible] (Al)	[illegible] 072-93 (ICP-MS)	μg/l	0.20	< 200.0	[illegible]
[illegible] (Sb)	[illegible] 072-93 (ICP-MS)	μg/l	0.002	< 5.0	0.033
[illegible] (As)	[illegible] 072-93 (ICP-MS)	μg/l	0.003	< 10.0	0.083
[illegible] (B)	[illegible] 072-93 (ICP-MS)	μg/l	0.15	< 1000.0	145
[illegible] (Cd)	[illegible] 072-93 (ICP-MS)	μg/l	0.001	< 5.0	< 0.035
[illegible] (Cr)	[illegible] 072-93 (ICP-MS)	μg/l	0.01	< 50.0	1.3
[illegible] (Cu)	[illegible] 072-93 (ICP-MS)	μg/l	0.03	< 2000.0	68
[illegible] (Fe)	[illegible] 072-93 (ICP-MS)	μg/l	0.06	< 200.0	47
[illegible] (Pb)	[illegible] 072-93 (ICP-MS)	μg/l	0.005	< 10.0	0.96
[illegible] (Mn)	[illegible] 072-93 (ICP-MS)	μg/l	0.005	< 50.0	0.57
[illegible] (Hg)	[illegible] 072-93 (ICP-MS)	μg/l	0.01	< 1.0	[illegible]
[illegible] (Ni)	[illegible] 072-93 (ICP-MS)	μg/l	0.01	< 20.0	0.79
[illegible] (Se)	[illegible] 072-93 (ICP-MS)	μg/l	0.035	< 10.0	0.41
[illegible] (Na)	[illegible] 072-93 (ICP-MS)	mg/l	0.0015	< 200.0	192
[illegible] (BrO3)	[illegible] 072-85 (LC-MS/MS)	μg/l	0.06	< 10.0	[illegible]
[illegible] (CN)	[illegible] 072-69 (UV)	μg/l	3	< 50.0	[illegible]
[illegible] (Cl)	ISO 9297:1989	mg/l	1	< 250.0	**386**
[illegible] (F)	[illegible] 072-75 (UV)	mg/l	0.06	< 1.5	0.34
[illegible] (NO3)	[illegible] 072-92 (UV)	mg/l	0.7	< 50.0	29.3
[illegible] (NO2)	ISO 6777:1984	mg/l	0.01	< 0.5	[illegible]
[illegible] (NH4)	ISO 7150-1:1984	mg/l	0.01	< 0.5	[illegible]
[illegible] (SO4)	[illegible] 072-72 (UV)	mg/l	1.5	< 250	68
[illegible] (TOC)	APHA 5310 B	mg/l C	0.05	-	0.64
1,2 [illegible] (EDC)	[illegible] 072-88 (GC-MS)	μg/l	0.05	< 3.0	[illegible]

[illegible]

[illegible]

[illegible]

DVM, [illegible] MSc

[illegible]

[illegible]

* [illegible]

αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

ȢŁɆȼ Ƀ Ȣ Ƀ Łȼ ȼ ŁȾ Ƀ ɉ ʔ ɉ ʂ Ɉ Ɇȼ Ɇ

ɉ ɟ. Ȣɷʊ̇ʊ̈ ɞɛʠ̇ʊɕ : **16-0473-008-0895-02**

ȼ ɛ/ɜʊ̇ Ǒɘʊ̇ɞʊ̇ɖɠ : **28/6/2016**

ɉ ɟ. Ǒɘʊ̇ɞʊ̇ɖɠ : **1**

ɸɞɛɤɰɠ
ɉ ɟ. Ȣɷʊ̇ 102

ʂʊ̇ɤ ʊ̇. ɗʊ̇ʊ̇. Ɇɞʊ̇ʊ̇ɠ 104 Åɉ ɗɞɜʊ̇ 115 27
Ɉ ´ ɞɘʊ̇ʊ̇ʊ̇ʊ̇ɛʊ̇: Ⱥ. ɗʊ̇ɛɞɤɠ 127 Åʔ. ȴɤ ɜʊ̇ 142 32
ȼɖɚ: +30 210 7470500-502 Åʊ̇: +30 210 7470501 Åemail: waternet@ergastiria.gr Åwebsite: www.ergastiria.gr

Ȣʊ̇ɉ ɣɛʊ̇ɉ ɞɠ	ɀ ɤɗɞʊ̇ɞɠ	ɀ ɞɜɣʊ̇ʊ̇	ɏ ɟ ɛ ɉ ɜɞɜʊ̇ɠʊ̇ɖɠ	Ȣʊ̇ɉ ʊ̇ɛʊ̇ɉ ɛɐ ȼɛɛɐ	ɉ ´ ɞʊ̇ɤɘʊ̇ɛʊ̇
ɗɛɠɘɞɞɘɤ ɉ ʊ̇ɛ (CH2CHCl)	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.04	< 0.50	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
Ƀ ɘɛɣ ȼɉ ɛʊ̇ɘɞɜɞɛʊ̇ɣɜʊ̇ (THM's)	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.04	< 100.0	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɉ ɘɤ ɉ ɞʊ̇ɦɉ ɛɛ (CHCl3)	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.04	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɗɉ ɤɛɞʊ̇ɦɉ ɛɛ (CHBr3)	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.05	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɗɉ ɤɛɞʊ̇ɛɘɤ ɉ ɞɛʊ̇ɣɜɛ (CHBrCl2)	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.04	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɸɛɉ ɤɛɞɞɘɤ ɉ ɞɛʊ̇ɣɜɛ (CHBr2Cl)	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.05	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ȼɉ ɘ & ȼʊ̇ɉ ʊ̇- ɞɘɤ ɉ ɞʊ̇ɛɠɘɤɜɛ	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.03	< 10.0	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ȼɉ ɛɘɤ ɉ ɞʊ̇ɛɠɘɤɜɛ (TCE)	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.05	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ȼʊ̇ɉ ʊ̇ɞɘɤ ɉ ɞʊ̇ɛɠɘɤɜɛ (PCE)	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.03	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɗʊ̇ɛɞ(ʊ̇)´ ɠɉ ɤɜɛ	Ƀ Ⱥ 072-80 (GC-MS/MS)	ɛg/l	0.0025	< 0.01	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
Ȣɞɘɠɘɠɘɘɛɞɑ ɉ ɤɛʊ̇ɛɞɑ Ɉ ʊ̇ɉ ɞɜɞɜʊ̇ɗɉ ʊ̇ɘʊ̇ (PAH)	Ƀ Ⱥ 072-80 (GC-MS/MS)	ɛg/l	0.0025	< 0.1	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɗʊ̇ɛɞ(b)ʊ̇ɗɞɉ ʊ̇ɜɗɤɜɛ	Ƀ Ⱥ 072-80 (GC-MS/MS)	ɛg/l	0.0025	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɗʊ̇ɛɞ(ɘ)ʊ̇ɗɞɉ ʊ̇ɜɗɤɜɛ	Ƀ Ⱥ 072-80 (GC-MS/MS)	ɛg/l	0.0025	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɗʊ̇ɛɞ(g,h,i)´ ʊ̇ɉ ɠɘɤɜɛ	Ƀ Ⱥ 072-80 (GC-MS/MS)	ɛg/l	0.0025	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ȴʊ̇ʊ̇ɛɞ(1,2,3-c,d)´ ɠɉ ɤɜɛ	Ƀ Ⱥ 072-80 (GC-MS/MS)	ɛg/l	0.0025	-	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɗʊ̇ɛɞɦɘɛ	Ƀ Ⱥ 072-88 (GC-MS)	ɛg/l	0.03	< 1.0	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
ɉ ɘɉ ɠɘʊ̇ɛʊ̇ɛ (C3H5NO)	Ƀ Ⱥ 072-86 (LC-MS/MS)	ɛg/l	0.06	< 0.10	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
Ⱥ´ ɛɘɤ ɉ ɠʊ̇ɉ ɞɖ (C3H5ClO)	Ƀ Ⱥ 072-87 (GC-MS)	ɛg/l	0.07	< 0.10	ɸʊ̇ɛ ɉ ɜɛɜʊ̇ ɗɖɘʊ̇
Ɇɕ ɜɞɘ Ȣʊ̇ɉ ʊ̇ʊ̇ɛɘʊ̇ɦɜɤ ɜ	Ƀ Ⱥ 072-79 (GC-MS/MS)	ɛg/l	0.006-0.02	< 0.50	ɸʊ̇ɛ ʊ̇ɜɛɜʊ̇ ɗɖɘʊ̇ɛ

Ƀ Ɉ´ ʊ̇ ɗɠɜɞɠ
ɉ ɖɛɛɞɕ Ⱥɉ ɔʊ̇ʊ̇ʊ̇ɉ ɞɠ

Ȣʊ̇ɕ ɘɞɠ ʔɖʊ̇ɛʊ̇ɜɣɘɖɠ
DVM, ɉ ɖɛɛɦɠ MSc

ȼɞ ´ ʊ̇ɉ ɦɜ ´ ɷʊ̇ʊ̇ ´ ɞɛʠ̇ʊ̇ɦ ʊ̇ɤɉ ʊ̇ɘɖɘʊ̇ɉ ɞɜɘɐ ɠ ´ ɞɜɉ ʊ̇ʊ̇ɐ ɘʊ̇ɘʊ̇ʊ̇ɛ ´ ɞɉ ʊ̇ɜʊ̇ ʊ̇ɜʊ̇ ʊ̇ɉ ʊ̇ɞɗʊ̇ɞɤɉ ɠʊ̇ɉ ɔɉ ʊ̇ ʊ̇ɐ ɤɔɘɉ ɷɖ ʊ̇ɛɠ ʊ̇ɉ ɔʊ̇ʊ̇ʊ̇ɉ ɞɠ, ´ ʊ̇ɉ ɣ ɛɦɜɞ ʊ̇ʊ̇ ´ ɘɤɉ ɖ ɛɞɉ ʊ̇ɐ.
ȼʊ̇ʊ̇ ɞʊ̇ɛɤʊ̇ɛʊ̇ʊ̇ʊ̇ ʊ̇ɜʊ̇ɕ ʊ̇ʊ̇ɜ ʊ̇ɜʊ̇ʊ̇ɤ ɞɜʊ̇ʊ̇ɛɦɜɞ ʊ̇ʊ̇ʊ̇ʊ̇ʊ̇ɛʊ̇ʊ̇ʊ̇ ´ ɞɠ ʊ̇ɛʊ̇ʊ̇ʊ̇ɗɖɘʊ̇. Ƀ ɞɖɛɛɠʊ̇ɘʊ̇ɞɜɛɞɜɞɠ ʊ̇ɞɘɛɤɠ ´ ɉ ʊ̇ɛʊ̇ʊ̇ ´ ɞɛɕ ɜʊ̇ʊ̇ɘʊ̇ɖɜ ɤʊ̇ɉ ʊ̇ ʊ̇ɛɠ ɠ ´ ɞɘʊ̇ʊ̇ʊ̇ʊ̇ɛʊ̇ʊ̇ɛɠ.
* ɸɛɘɛɐ ʊ̇ɘʊ̇ɦɠ ´ ʊ̇ʊ̇ɛɠ ʊ̇ɛʊ̇ ɷʊ̇ʊ̇ɖɠ.

αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

ȣ Ł Ɇ ɇ Ɓ ȣ Ɓ Ł ȼ ɇ Ł Ⱦ Ɓ ȷ ʔ ȷ ȿ Ɉ Ɇ ȼ Ɇ

ʠɐɜɐɣɠ
ȷ ȴ . ȣȿʊ 102

ȿ Ů ɤ ɰ . ɗ Ŭ Ů . Ɇɕɰɗɠ 104 Å Ɉ ɗɐɜɐ 115 27
Ɉ ˊ ɕəɐƲȹ ɰɛɐ: ȺɐɐɐɗŮɐɐɐ 127 Å ʔ . ɐɜɗ 142 32
ɇɗə: +30 210 7470500-502 Åʉ ɐ: +30 210 7470501 Åemail: waternet@ergastiria.gr Åwebsite: www.ergastiria.gr

ȣȷ Ʌȷ ɇȼ Ʌȼ ɆɅɆ

1. ɇ ɗɛŲ ɕɛɗɜʊ əʊəɖ ɩ ȷ Ŭ ŭɐɐɛŬɐəɖɣ ɗɐɠ, ɕ ŭɐɐɛŬɐə ˊ ɐɖɠ əŬɗɩ ɠ əɐəŬɐ ɰɗɛɐŭ ŭɐɐɛŬɐəɖɣ ɗɐɠ ɐɐəɐɐ ŭɐə ɰɖ ɐɕɠ ˊ ɐɐɐɖ.

2. Ɓ əɐɐɣɠ ɐɜ Ŭ ɕɐɐəɐɛɐɜ ɔɐɐɐ ŭɐɐɛŬɛɐəɐ ŭɐɐ Ų ɐɛɐ ŭɐɐɛŬɐɐɠ 26240895 ɐɕɠ ˊ Ų ɐɜɐɠ ˊ ɐɐ ˊ ɕɐɖɐɕɨ , ɐɐəɐɐɐɠ ɐɜ ɕɩ ɐɜ ˊ ɕɠ əɐɐɕɩ ɐɕɜɐəɐɖɜ Ⱦɕɐɐ Ɉ ˊ ɕɠȷ ɔɐɐ ȷ ˊ ɐɐŬɐɖ Ɉ 2/2600/2001 (ŭ ȺȾ 892/ɗ/11-07-2001), ɐ ˊ ɤ ɠ Ų ɕ ˊ ɕ ˊ ɕɐɐɖɐɐəɐɐɕɨ ɐɐɐɕɩ əɐɐɛŲ Ŭ.

3. ɇŬ ˊ Ų Ŭ ɐɐɐɐɜŬ ˊ ɕɠ ŬɐŬɐɩ ɕɜɐɐəɐɐ ˊ Ų ɩ ɜ ˊ ɐɐɐ ˊ ɕɐɖɐɐ, ɐɐəɐɐ:
Acetochlor, Acrinathrin (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Aldrin, Atrazine, Azinphos Ethyl, Azinphos Methyl, Benalaxyl, Benfluralin, Bifenox, Bifenthrin, Biphenyl, Bitertanol, Bromocyclen, Bromophos Ethyl, Bromophos Methyl, Bromopropylate, Bromuconazole (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Buprofezin, Butafenacil, Cadusafos, Captafol, Captan, Carbaryl, Carbophenothion, Carbosulfan, Chlordane alpha (cis), Chlordane gamma (trans), Chlorfenapyr, Chlorfenson, Chlorfenviphos (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Chlorobenzilate, Chloropropylate, Chlorothalonil, Chlorpyriphos Ethyl, Chlorpyriphos Methyl, Chlorthal dimethyl/DCPA, Chlorthion Methyl, Clodinafop-propargyl, Cloquintocet mexyl, Coumaphos, Cyfluthrin (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Cyhalothrin lambda, Cypermethrin (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Cyproconazo, Cyprodinil, DDD-o, DDD-p, DDE-o, DDE-o, DDE-p, DDT-o, DDT-p, Deltamethrin, Diazinon, Dichlobenil, Dichlofenthion, Dichlofluanid, Dichloran, Dichlorvos(#), Diclobutrazol, Dicofol, Dieldrin, Difenoconazole (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Diflufenican, Dimethenamid, Dimethoate, Diniconazol, Diphenamid, Endosulfan alpha, Endosulfan beta, Endosulfan lactone, Endosulfan sulfate, Endrin, Epoxiconazole, Esfenvalerate, Etaconazol (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Ethalfluralin, Ethion, Ethoprophos, Etridiazol, Etrimfos, Famphur, Fenamiphos, Fenarimol, Fenazaquin, Fenbuconazol, Fenchlorphos, Fenitrothion, Fenoxycarb, Fenproparthrin, Fenpropidin, Fenpropimorph, Fenson, Fenvalerate (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Fluazifop-P-butyl, Fluchloralin, Flucythrinate (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Fludioxonil, Flufenoxuron, Fluquinconazole, Flusilazole, Fluvalinate-tau (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Folpet, Furalaxyl(#), HCH alpha, HCH beta, HCH delta, HCH gamma, Heptachlor, Heptachlor Epoxide A, Heptachlor Epoxide B, Hexachlorobenzene, Hexaconazole, Iodofenphos, Iprobenphos, Iprodione, Isazophos, Isodrin, Isofenphos, Isofenphos Methyl, Leptophos, Malathion, Mepronil, Metazachlor, Methacrifos, Methidathion, Methoxychlor (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Metolachlor, Metribuzin(#), Mirex, Myclobutanil, Nitrapyrin, Nitrofen, Nitrothal isopropyl, Nuarimol, o-phenylphenol, Oxadiazon, Oxyfluorfen, Paclobutrazol, Parathion Ethyl, Parathion Methyl, Penconazole, Pendimethalin, Pentachloroanisole, Permethrin (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Perthan, Phenothrin (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Phenthoate, Phorate(#), Phosalone, Phosmet, Picolinafen, Piperonyl butoxide (PBO), Pirimiphos Ethyl, Pirimiphos Methyl, Procymidone, Profenofos, Prometryn, Propargite, Propazine, Propham, Propyzamide, Prothiofos, Pyrazophos, Pyridaben, Pyrimethanil, Pyriproxyfen, Quinalphos, Quinoxyfen, Quintozene, Resmethrin (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), S421, Simazine, Spirodiclofen, Tebuconazole, Tecnazene, Tefluthrin, Terbuthylazine, Tetrachlorvinphos, Tetraconazole, Tetradifon, Tetramethrin (ȯɗ ȷ ɕɐɐɛ Ŭ ɐɜ ɐɕɛŲ ɩ ɜ), Tetrasul, Thiobencarb, Tolclofos Methyl, Tolylfluanid, Transfluthrin, Triadimefon, Triazophos, Trichloronate, Trifluralin, Triticonazole, Uniconazole, Vinclozolin.

ŭɐŬ ɐəŬ ɐɐ ˊ Ų ɐɐɐəɐɜŬ, LOD: 0.006-0.022 ɛg/l & LOQ: 0.022-0.068 ɛg/l.
(#) Ⱥəɐɠ ˊ ɐɐɕɠ ŭɐŬ ˊ ɐɐɐɐɖɠ.

Ɓ Ɉ ˊ Ů ɗɜɕɠ
ȷ ɗɛɐɕɨ Ⱥȷ ɔɐɐɐȷ ɕɠ

ȣŬɨ əɕɠ ʔ ɗɐɐɐɐəɖɠ
DVM, ȷ ɗɛɐɐɠ MSc